

TestKingfree



Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.
365 days free updates. First attempt guaranteed success.

Select a vendor... Select an test... Your email address [Free Download Demo](#)

We're not the only ones **excited** about TestKingFree Practice Material ...

49625+ customers in 100+ countries use TestKingFree Test Engine. Meet our customers.

V VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger

What Client's Say

“ Passed yesterday. Very good valid 300-101 dumps. Only 3-4 questions are new. Most questions and answers are valid. But be careful several answers are incorrect. Study hard. ”

 **Wilbur**
★★★★★

“ I got 90%. This dumps contains redunant questions and few errors, but defintily enough to pass. :)Prepare well and study much more.Still valid. ”

 **Beatrice**
★★★★★

<http://www.testkingfree.com/>

Pass For sure Certification Exam Guide and Exam Dumps - TestKingFree

Exam : 000-137

Title : Advanced Rational Application Developer v7

Vendors : IBM

Version : DEMO

NO.1 During the development process, a programmer selects an EJB project containing entity beans and

selects Prepare For Deployment. Which action does this operation perform?

- A. updates the deployment descriptor with a reference to the EJB JAR
- B. generates the helper classes to map entity beans to the database
- C. generates the EJB JAR file and includes it in the associated enterprise application project
- D. guides the user through a wizard interface to determine the mapping between the fields in the entity bean and their associated database fields

Answer: B

NO.2 What is best practice when designing a data-intensive EJB application?

- A. set the values of Entity EJBs by passing them a Data Transfer object containing the necessary data
- B. provide major Entity EJBs with a remote interface and relate other Entity EJBs to them via Container Managed Relations (CMR)
- C. provide all Entity EJBs with a local interface only and perform all remote access through Session EJBs
- D. encapsulate frequently accessed read-only data in an Entity EJB for efficient caching

Answer: C

NO.3 In JSP, custom tag libraries can be used to _____.

- A. enable better searching in a Web application
- B. package tag extensions for JSP
- C. package JSPs for exporting to other projects
- D. package tag extensions for JSF

Answer: B

NO.4 The embedded Apache Derby database makes development easier. However, it has one severe

limitation that prevents its use in production environments. What is this limitation?

- A. Connection pooling is disallowed and results in degraded performance.
- B. It provides a reduced data type set without the ability to define BLOB (Binary Large Object) or CLOB (Character Large Object) columns types.
- C. It provides only English language support.
- D. It allows only one application to access the database to create a connection.

E. The use of the JDBC drivers is proprietary and requires a for purchase license.

Answer: D

NO.5 A developer is building an application where the home page will have links displayed for administrators, which will not be available for regular users of the application. Otherwise, the home page is identical for

administrators and regular users. A J2EE role-based security pattern is being implemented with one role

for users and one role for staff. What is the BEST way to display different versions of the home page?

A. You map the two roles to different JSPs for the home page, where one includes the extra links (for

administrators) and the other does not (for users).

B. It is not possible to display different versions of the same page for users who have different roles.

C. You apply declarative security to the body of the JSP where the links that are only available to the

administrators are declared to be accessible only to that role.

D. You implement the links using a J2EE custom library, which contains a call to `isUserInRole()` on the

`HttpServletRequest` to see if the link should be displayed or not.

Answer: D